Special Seasonal Report




Ambulance Patient Offload Time Week 12 (3/17/19 – 3/23/19)


2018-19 Flu Season

SPECIAL SEASONAL REPORT

In an effort to monitor seasonal surge in Ambulance Patient Offload Time (APOT) during the 2018-19 Influenza season, Riverside County EMS Agency is publishing weekly reports. The following charts represent weekly aggregate APOT/APOD data for the past 10 weeks, updated weekly.



- During 2019 week 12, there was a total of **3100 transports in Riverside County** a **2.6%** INCREASE from the previous week's 3021 transports.
- The number of APODs in week 12 was 736 which is 6.6% BELOW the previous week total of 788 APODs.




- During 2019 week 12, APOT county-wide was over 1249 hours total—6.6% BELOW the previous week's total of 1337 hours.
- County-wide APOD hours for week 12 totaled over 329, which is 19.4% LOWER than the previous week's 408 hours.

RIVERSIDE COUNTY AMBULANCE PATIENT OFFLOAD TIME

The data provided illustrates total ambulance patient offload delay time (hh:mm) by month for 2015 through March 23, 2019 (week 12) from hospitals within Riverside County. To qualify for this chart, the duration of offload delay must be greater than 30 minutes, and only the time period after the first 30 minutes is summed.

Beginning January 2017, offload times represented are measured using time of patient arrival at hospital (eTimes.11) until the time of patient transfer (eTimes.12) as represented on the ePCR (electronic patient care report). This represents a different methodology in offload time measurement. Prior to January 2017, offload times were calculated using CAD times, beginning with the time that dispatch placed the ambulance on bed delay status until the time the ambulance left the hospital.

This chart represents the difference in the old vs. current by displaying the former time measurement/methodology in grayscale.



For May of 2016, actual totals may have been slightly higher than are reported due to a 3-day CAD outage.

APOD AMBULANCE REDIRECTION

On March 20, 2019, Riverside County EMS Agency activated Provisional Policy 6104 (http://www.remsa.us/policy/6104.pdf) to allow provisional redirection of Ambulances from hospitals that have extended Ambulance Patient Offload Delay (APOD)--to the closest most appropriate hospital that does not have extended APOD. Extended APOD is a patient remaining on an ambulance gurney for 90 minutes or greater after arrival at a hospital. The table below shows the ambulance diversions that occurred during week 12.

	Total # of Redirects	Total Time in Diversion
Inland Valley Med Ctr	1	0:37:00
Parkview Community Hospital	1	0:29:00
Riverside Community Hospital	3	8:40:00
Grand Total	5	9:46:00


^{**}Beginning August 2017, times represented include all participating providers. Prior to August, data included AMR responses only.

^{***}March 2019 is a partial month.

AMBULANCE PATIENT OFFLOAD TIME BY HOSPITAL

For 2019 Week 12

APOT Snapshot						
	ALS Transports	АРОТ	APOD Hours	APODs	APOD Compliance	
Corona Regional Med Ctr	190	115:17:38	46:28:18	86	54.7%	
Desert Regional Med Ctr	280	65:03:41	4:03:13	15	94.6%	
Eisenhower Health	374	70:33:18	0:20:10	6	98.4%	
Hemet Valley Hospital	294	121:39:55	19:02:41	82	72.1%	
Inland Valley Med Ctr	195	68:36:57	13:53:50	34	82.6%	
JFK Hospital	166	25:07:21	0:15:24	1	99.4%	
Kaiser Hospital Riverside	161	66:16:18	14:24:38	40	75.2%	
Loma Linda Univ Med Ctr Mur	163	92:37:19	31:35:56	70	57.1%	
Menifee Med Ctr	65	28:37:31	7:22:04	21	67.7%	
Moreno Valley Hospital	99	31:56:58	3:16:22	13	86.9%	
Palo Verde Hospital	33	3:08:14	0:38:31	1	97.0%	
Parkview Community Hospital	130	50:12:06	9:23:49	33	74.6%	
Rancho Springs Med Ctr	105	35:48:32	4:50:04	22	79.0%	
Riverside Community Hospital	297	252:35:16	128:35:39	182	38.7%	
Riverside University Health System	302	145:30:47	40:04:19	99	67.2%	
San Gorgonio Mem Hospital	138	41:50:58	3:13:31	19	86.2%	
Temecula Valley Hospital	108	34:33:30	2:16:50	12	88.9%	
Totals	3,100	1249:26:19	329:45:19	736	76.3%	



Low/Best


High

Key:

ILI -INFLUENZA-LIKE ILLNESS RESPONSE


The purpose of the REMSA ILI (Influenza-like Illness) trigger and report is to improve tracking of influenza related activity and facilitate EMS preparedness in the event of a significant influenza surge event, similar or greater than that observed during the 2017-18 flu season.

- 1. The ILI trigger evaluates electronic patient record data (ePCR) in ImageTrend using the following methodology: Filters primary or secondary impression of code J11 (Influenza due to unidentified influenza virus) OR
- 2. A primary / secondary impression code J80, J98.09 (Acute respiratory distress syndrome, Respiratory disorder unspecified) with a



match in the narrative for ILI, influenza like illness, Flu, Flu-, Flu\., or influenza OR


3. Any incident with a match in the narrative for ILI, influenza like illness, Flu, Flu-, Flu\., or influenza.



This chart
illustrates the
difference
between current
EMS ILI activity
beginning
September 22,
2018 (Week 39)
and EMS ILI
activity for the
same time
period in 2017.

ILI - INFLUENZA-LIKE ILLNESS RESPONSE (CONT.)


October - Week 40 is defined by the Center for Disease Control (CDC) as the expected seasonal start of increasing flu activity. In Week 12, EMS ILI response INCREASED by 29.7% compared to the previous week and was 107.6% HIGHER than the rolling annual average.




PUBLIC I	PUBLIC HEALTH AND MEDICAL SYSTEM STATUS		
Green	The Public Health and Medical System is in usual day-to-day status. Situation resolved; no assistance is required.		
Yellow	The Public Health and Medical System is managing the incident using local resources or existing agreements. No assistance is required.		
Orange	The Public Health and Medical System requires assistance from within the local jurisdiction/Operational Area.		
Red	The Public Health and Medical System requires assistance from outside the local jurisdiction/Operational Area.		
Black	The Public Health and Medical System requires significant assistance from outside the local jurisdiction/Operational Area.		
Grey	Unknown.		

EMS ILI response two standard deviations above the calculated baseline average during non-peak flu seasons is considered a surge in flu activity. Surges are identified as color levels adapted from the CDPH Standards and Guidelines for Healthcare Surge During Emergencies:

https://www.cdph.ca.gov/Programs/EPO/CDPH%20Document%20Library/FinalEOM712011.pdf





ILI data compiled by Catherine Farrokhi, Riverside County EMS Agency.

APOT AND APOD DEFINITIONS

Ambulance Patient Offload Time (APOT)

The Time interval between the arrival of an ambulance patient at an ED and the time the patient is transferred to the ED gurney, bed, chair, or other acceptable location and the emergency department assumes the responsibility for care of the patient. The Clock Start (eTimes.11) is the time of patient arrival at the destination (hospital), and the Clock Stop (eTimes.12) is time the care of the patient is transferred. REMSA obtains both times from the ePCR.

APOT -1 Specifications

Criteria: All 911 transports to a hospital emergency department for which the patient arrival and transfer dates and times are "logical and present." 3

Method: Aggregate of all transfer times and reported at the 90th percentile (the value for which 90% of the times are shorter).

APOT-2

An ambulance patient offload time interval process measure. This metric demonstrates the incidence of ambulance patient offload times expressed as a percentage of total EMS patient transports within a twenty (20) minute target and exceeding that time in reference to 60, 120 and 180 minute time intervals.⁴

Ambulance Patient Offload Delay (APOD)

Any delay in ambulance patient offload time (APOT) that exceeds the local ambulance patient offload time standard of 25/30 minutes (Riverside County EMS Agency applies a 30-minute standard). This shall also be synonymous with "non-standard patient offload time" as referenced in the Health and Safety Code.⁵ If the transfer of care and patient offloading from the ambulance gurney exceeds the 30 minute standard, it will be documented and tracked as APOD.⁶

Data Definitions

Data in this report includes all transports to the 17 hospitals monitored by REMSA in the respective month relative to the date and time the incident originates (eTimes.03--Dispatch Notified Date/Time). For example, if an incident originates on June 30, and the patient is subsequently transferred to the care of an emergency department on July 1, that incident will be included in the month of June.

Canceled calls, calls for which both arrival and transfer times are not present, and calls with erroneous/negative offload times are excluded. Certain incidents with offload times exceeding six hours and 12 hours are verified for accuracy, and incidents are excluded if the timeline cannot be validated.

Data for this report has been collected from ePCRs (electronic patient care reports) from FirstWatch® and are available after they have been completed by the provider. There is, therefore, an inherent latency to the availability of these records. Due to this latency, subsequent reports may feature higher aggregate numbers than earlier reports for the same reporting period. The difference is insignificant (averaging less than .07%) and does not impact overall compliance.

¹ Health and Safety Code Division 2.5, Chapter 3, Article 1, Section 1797.120(b)

² Ambulance Patient Offload Time (APOT) Standardized Methods for Data Collection and Reporting, approved by EMS Commission 12/14/2016.

³ Ibid., APOT-1 Specifications.

⁴ Ibid., Definitions.

⁵ REMSA Policy 9101.6. http://www.remsa.us/policy/9101.pdf

⁶ REMSA Policy 4204, Transfer of Patient Care. http://www.remsa.us/policy/4204.pdf