


Ambulance Patient Offload Time Week 8 (02/16/20 – 02/22/20) Z019-20 Seasonal http://www.rivcoems.org/Documents/Reports-Current


Prepared by Sudha Mahesh, Riverside County EMS Agency – February 26, 2020

SPECIAL SEASONAL REPORT

In an effort to monitor seasonal surge in Ambulance Patient Offload Time (APOT) during the 2019-20 Influenza season, Riverside County EMS Agency is publishing weekly reports. The following charts represent weekly aggregate APOT/APOD data for the past 10 weeks, updated weekly.



- During 2020 Week 8, there was a total of 3236 transports in Riverside County— a 0.3% INCREASE from the previous week's 3225 transports.
- The number of APODs in Week 8 was 864, which is 0.7% ABOVE the previous week's total of 858 APODs.




Weekly APOT and APOD Hours 2019 Week 51 through 2020 Week 8

- During 2020 Week 8, APOT county-wide totaled 1407.8 hours —0.4 % ABOVE the previous week's total of 1402.2 hours.
- County-wide APOD hours for Week 8 totaled 427.4 hours, a 0.03 % INCREASE from the previous week's total of 427.3 hours.

RIVERSIDE COUNTY AMBULANCE PATIENT OFFLOAD TIME

The data provided illustrates total ambulance patient offload delay time (hh:mm:ss) by month for 2016 through the current Week 8 from hospitals within Riverside County. To qualify for this chart, the duration of offload delay must be greater than 30 minutes, and only the time period after the first 30 minutes is summed.

Beginning January 2017, offload times represented are measured using time of patient arrival at hospital (eTimes.11) until the time of patient transfer (eTimes.12) as represented on the ePCR (electronic patient care report). This represents a different methodology in offload time measurement. *Prior to January 2017, offload times were calculated using CAD times, beginning with the time that dispatch placed the ambulance on bed delay status until the time the ambulance left the hospital.*



*For May of 2016, actual totals may have been slightly higher than are reported due to a 3-day CAD outage. **Beginning August 2017, times represented include all participating providers. Prior to August, data included AMR responses only. ***February 2020** is a partial month

APOD AMBULANCE REDIRECTION


On October 1, 2019, Riverside County EMS Agency activated Policy 6104 (<u>http://www.remsa.us/policy/6104.pdf</u>) to allow redirection of ambulances from hospitals that have extended Ambulance Patient Offload Delay (APOD)--to the closest most appropriate hospital that does not have extended APOD. Extended APOD is a patient remaining on an ambulance gurney for 90 minutes or greater after arrival at a hospital. The table below shows the ambulance diversions that occurred during Week 8.

	Occurrences of APOD Redirection
Corona Regional Medical Center	2
Desert Regional Medical Center	3
Hemet Valley Medical Center	5
Inland Valley Medical Center	5
Kaiser Permanente Moreno Valley Medical Center	5
Kaiser Permanente Riverside Medical Center	5
Loma Linda University Medical CenterMurrieta	1
Menifee Valley Medical Center	1
Parkview Community Hospital	1
Riverside Community Hospital	13
Grand Total	41

AMBULANCE PATIENT OFFLOAD TIME BY HOSPITAL

	For 2	2020 Week 8	Key:	High	Low/Best	
APOT Snapshot						
	ALS Transports	ΑΡΟΤ	APOD Hours	APODs	APOD Compliance	
Corona Regional Med Ctr	197	86:04:53	21:37:02	58	70.6%	
Desert Regional Med Ctr	264	83:18:55	15:31:57	35	86.7%	
Eisenhower Health	387	72:02:13	1:19:53	12	96.9%	
Hemet Valley Hospital	343	205:13:24	76:28:54	171	50.1%	
Inland Valley Med Ctr	221	103:32:22	33:39:28	64	71.0%	
JFK Hospital	160	24:33:59	1:16:53	3	98.1%	
Kaiser Hospital Moreno Valley	77	56:55:36	30:30:20	27	64.9%	
Kaiser Hospital Riverside	121	74:03:55	32:25:47	44	63.6%	
Loma Linda Univ Med Ctr Mur	143	51:25:53	8:24:54	26	81.8%	
Menifee Med Ctr	83	34:30:46	8:41:05	18	78.3%	
Palo Verde Hospital	43	4:34:49	0:15:24	2	95.3%	
Parkview Community Hospital	155	77:51:51	24:54:18	45	71.0%	
Rancho Springs Med Ctr	121	38:44:30	4:32:55	19	84.3%	
Riverside Community Hospital	334	278:56:20	137:03:02	212	36.5%	
Riverside University Health System	338	137:33:17	23:21:21	90	73.4%	
San Gorgonio Mem Hospital	120	31:57:24	0:49:10	6	95.0%	
Temecula Valley Hospital	129	46:27:48	6:33:45	32	75.2%	
Totals	3,236	1407:47:55	427:26:08	864	73.3%	

Transports and APODs by Hospital 2020 Week 8




ILI - INFLUENZA-LIKE ILLNESS RESPONSE

The purpose of the REMSA ILI (Influenza-like Illness) trigger and report is to improve tracking of influenza-related activity and facilitate EMS preparedness in the event of a significant influenza surge event, similar or greater than that observed during the 2017-18 flu season.

The ILI trigger evaluates electronic patient report (ePCR) data using the following methodology:


- 1. Filters primary or secondary impression of code J11 (Influenza due to unidentified influenza virus) OR
- A primary / secondary impression code J80, J98.09 (Acute respiratory distress syndrome, Respiratory disorder unspecified) with a match in the narrative for ILI, influenza like illness, Flu, Flu-, Flu-, or influenza OR
- 3. Any incident with a match in the narrative for ILI, influenza like illness, Flu, Flu-, Flu\., or influenza.




Week 40 (~October 1st) is defined by the Center for Disease Control (CDC) as the expected start of increasing influenza activity, or "flu season". Riverside County EMS Agency monitors influenza-like illness (ILI) year-round for better detection of seasonal or abnormal surges which can impact EMS utilization.


EMS ILI response two standard deviations above the calculated baseline average during non-peak flu seasons is considered a surge in flu activity. Surges are identified as color levels adapted from the CDPH Standards and Guidelines for Healthcare Surge During Emergencies:





In Week 8, EMS ILI response was 235.7% HIGHER than the baseline average of non-peak flu season activity levels (weeks 13-38) and was 5.4% LOWER than the previous week.









ILI-related EMS response in Riverside County, ePCR distribution map: Week 8 – Feb 16, 2020 through Feb 22, 2020

RIVERSIDE COUNTY PUBLIC HEALTH ILI DATA

Riverside County Public Health Department – DOPH collects Emergency Department ILI activity data from the Center for Disease Control's Early Notification of Communitybased Epidemics (ESSENCE) system. The graph to the right provides a comparison between Riverside County's ILI-related EMS responses and Emergency Department (ED) visits for the current year compared to the previous year; while the graph below adopts CDC methodology in comparing EMS and ED ILI volume to their respective total volumes in percentages. As of November 2018, 14 of 17 Riverside County hospitals are participating in ESSENCE, noting that a minor subset of the county's ED data is missing from the information presented.





APOT AND APOD DEFINITIONS

Ambulance Patient Offload Time (APOT)

The Time interval between the arrival of an ambulance patient at an ED and the time the patient is transferred to the ED gurney, bed, chair, or other acceptable location and the emergency department assumes the responsibility for care of the patient.¹ The Clock Start (eTimes.11) is the time of patient arrival at the destination (hospital), and the Clock Stop (eTimes.12) is time the care of the patient is transferred.² REMSA obtains both times from the ePCR.

APOT -1 Specifications

Criteria: All 911 transports to a hospital emergency department for which the patient arrival and transfer dates and times are "logical and present."³

Method: Aggregate of all transfer times and reported at the 90th percentile (the value for which 90% of the times are shorter).

APOD Compliance

Frequency comparison between the total number of transports and those resulting in APOD.

Ambulance Patient Offload Delay (APOD)

Any delay in ambulance patient offload time (APOT) that exceeds the local ambulance patient offload time standard of 25/30 minutes (Riverside County EMS Agency applies a 30-minute standard). This shall also be synonymous with "non-standard patient offload time" as referenced in the Health and Safety Code.⁴ If the transfer of care and patient offloading from the ambulance gurney exceeds the 30-minute standard, it will be documented and tracked as APOD.⁵

Data Definitions

Data in this report includes all transports to the 17 hospitals monitored by REMSA in the respective month relative to the date and time the incident originates (eTimes.03--Dispatch Notified Date/Time). For example, if an incident originates on June 30, and the patient is subsequently transferred to the care of an emergency department on July 1, that incident will be included in the month of June.

Canceled calls, calls for which both arrival and transfer times are not present, and calls with erroneous/negative offload times are excluded. Certain incidents with offload times exceeding six hours and 12 hours are verified for accuracy, and incidents are excluded if the timeline cannot be validated.

Data for this report has been collected from ePCRs (electronic patient care reports) from FirstWatch[®] and are available after they have been completed by the provider. There is, therefore, an inherent latency to the availability of these records. Due to this latency, subsequent reports may feature higher aggregate numbers than earlier reports for the same reporting period. The difference is insignificant (averaging less than .07%) and does not impact overall compliance.

EMS Data compiled by Sudha Mahesh and Catherine Farrokhi, Riverside County EMS Agency. ED Data compiled by Rick Lopez, Riverside County Department of Public Health.

³ Ibid., APUI-1 Specifications.

¹ Health and Safety Code Division 2.5, Chapter 3, Article 1, Section 1797.120(b)

² Ambulance Patient Offload Time (APOT) Standardized Methods for Data Collection and Reporting, approved by EMS Commission 12/14/2016. ³ Ibid., APOT-1 Specifications.

⁴ REMSA Policy 9101.6. <u>http://www.remsa.us/policy/9101.pdf</u>

⁵ REMSA Policy 4204, Transfer of Patient Care. <u>http://www.remsa.us/policy/4204.pdf</u>